

CASE STUDY: Effectiveness of Using Security Checklists

Combating the Attacker

Kerry Steele – CIS © 2003

1

About Kerry Steele

- CIS Windows Security Scoring Tool
Lead Developer
- CIS IIS Gold Standard Project Leader
- Windows Gold Standard Team Member
- SANS GCWN Advisory Board Chair
- Co-Founder and Lead Consultant –
Secure Pointe

CASE STUDY: Effectiveness of Using Security Checklists

2

Contact the Author

Kerry Steele

- Security Consultant
- Secure Pointe
- <http://www.securepointe.com>
- ksteele@securitypenetration.com

CASE STUDY: Effectiveness of Using Security Checklists

3

THE CENTER FOR
INTERNET SECURITY™

Combating the Attacker

CASE STUDY: Effectiveness of Using Security Checklists

4

CASE STUDY:

Vulnerability Assessment of
Machines Configured with the
Gold Standard
Security Benchmark

We have met the enemy,
and it is us

“Through 2005, 90 percent of cyber attacks will continue to exploit known security flaws for which a patch is available or a preventive measure known.”

» Gartner Group, May 6, 2002

We have met the enemy,
and it is us

"Many recent cyber attacks could have been avoided if enterprises were more focused on their security efforts, but users seem not to learn from their mistakes."

» Gartner Group, May 6, 2002

CASE STUDY: Effectiveness of Using Security Checklists

7

Microsoft Issues Patches, But Users Don't Apply Them

Microsoft Issues Patches, But Users Don't Apply Them		
	Attack date	Advance notice
SQL Slammer	1/25/03	185 days
Bugbear	9/30/02	502 days
Frethem	7/17/02	427 days
Yaha	6/22/02	402 days
ElKern	4/17/02	336 days
Klez	4/17/02	336 days
Badtrans	11/24/01	192 days
Nimda	9/18/01	336 days
Code Red	7/19/01	31 days
Average: 305 days		
Source: McAfee, MessageLabs, Microsoft, Symantec, and Sophos		

Forrester Research
April 3, 2003

CASE STUDY: Effectiveness of Using Security Checklists

8

Patch Maintenance – Service Packs and Hotfixes

- It Is Almost Impossible to Keep Up With Microsoft Patches!
- Ongoing maintenance is a pain
 - Apply the latest service packs, security rollup packages, cumulative patches, and all necessary security hotfixes as identified by the CIS hotfix checking technology employed.
- Develop a process:
 - Ensure Hotfixes are current
 - Manually (Custom scripting solutions or Sneaker-net)
 - Commercial Tools (SUS, SMS, HFNetChk Pro, UpdateExpert, Hercules, etc.)
 - Get current security information
 - <http://www.microsoft.com/technet/security/bulletin/notify.asp>
 - Other mailing lists – SecurityFocus

CASE STUDY: Effectiveness of Using Security Checklists

9

5 Classes of Vulnerabilities

1. Insecure Accounts
 - Null Password, Admin no PW, no PW expiration...
2. Unnecessary Services
 - Telnet, Remote Access, Remote Exe...
3. Backdoors
 - NETBUS, BACKORIFICE, SUBSEVEN...
4. Mis-configurations
 - NetBIOS null sessions...
5. Software Defects
 - Hot-fixes, Patches...


The top 4 classes are device access methods.

Patches do not address device access methods.

CASE STUDY: Effectiveness of Using Security Checklists

10

Remediation Completes the Security Circle



CASE STUDY: Effectiveness of Using Security Checklists

11

The Good News

- The consensus security benchmark settings developed by the CIS teams eliminates 80-90% of the vulnerabilities that are being exploited by cyber-attackers
- There is an abundance of low-hanging fruit we all can pick to substantially reduce our risk of unauthorized intrusion.

CASE STUDY: Effectiveness of Using Security Checklists

12

Case Study Available at www.cisecurity.org


Percent Reduction in Total Vulnerabilities by Severity AFTER Solutionary Assessment



CASE STUDY: Effectiveness of Using Security Checklists

13

NSA Case Study



% Reduction: 96 90 50 91

CASE STUDY: Effectiveness of Using Security Checklists

14

Yet another study (Mitre):

- Windows 2000 Professional Gold Standard configuration reduced CVE vulnerabilities by 83%

IA Newsletter describing the NSA and Mitre studies

- Vol 5, Number 3, Fall 2002
- http://iac.dtic.mil/iatac/news_events/ia_newsletter.htm

CIS Standards Mitigate Vulnerabilities




Figure 1. DoD CIP Lifecycle activities

CASE STUDY: Effectiveness of Using Security Checklists

17

THE CENTER FOR
INTERNET SECURITY

Case Studies:

Vulnerability Assessment of
Machines Configured with the
Gold Standard
Security Benchmark:
LIVE DATA

CASE STUDY: Effectiveness of Using Security Checklists

18

Selecting a Vulnerability Assessment (VA) Tool

- Caveat Emptor
- Use more than one tool. WHY?
 - False Positives
 - False Negatives
- Host-based or Network-based – each has it's trade-offs – IT DEPENDS
- CIS Tools are Host-based VA tools
- <http://www.infosecuritymag.com/2003/mar/cover.shtml>

CASE STUDY: Effectiveness of Using Security Checklists

19


Research methodology

1. Scan a system "out of the box" and list identified vulnerabilities
2. Configure the system with the appropriate benchmark
3. Rescan the system and note the vulnerabilities remaining

CASE STUDY: Effectiveness of Using Security Checklists

20

Vulnerability Assessment of Windows 2000 Server (Default)



CASE STUDY: Effectiveness of Using Security Checklists

21

Vulnerability Assessment of Windows 2000 Server (Default)

ISS Internet Scanner 6.2.1


- High: 30
- Medium: 89
- Low: 109
- Total: 228

CASE STUDY: Effectiveness of Using Security Checklists

22

Vulnerability Assessment of Windows 2000 Server (Post CIS)

Percent of Vulnerabilities by Severity



CASE STUDY: Effectiveness of Using Security Checklists

23

Vulnerability Assessment of Windows 2000 Server (Post CIS)

ISS Internet Scanner 6.2.1


- High: 0 100%
- Medium: 0 100%
- Low: 2 (ping and tracert) 98%
- Total: 2 (acceptable risk) 99%
- Resulting in a 99% (100%) reduction of network vulnerabilities for this device.

CASE STUDY: Effectiveness of Using Security Checklists

24

Vulnerability Assessment of RedHat 7.1 (Default)

Severity Levels By Percentage



High	20.6%
Medium	60.0%
Low	16.1%
Warning	1.4%
Total: 100.0%	

High Grants unauthorized administrative access leading to further exploitation
Medium Provides access to sensitive data
Low May be used for information gathering, or preventive security measures which could lead to higher risk levels
Warning Recommended good security practices

CASE STUDY: Effectiveness of Using Security Checklists

25

Vulnerability Assessment of RedHat 7.1 (Default)

Harris STAT Scanner 5.11

- High: 15
- Medium: 46
- Low: 11
- Warning: 1
- Total: 73


CASE STUDY: Effectiveness of Using Security Checklists

26

Vulnerability Assessment of RedHat 7.1 (Post CIS)

Severity Levels By Percentage

High	44.4%
Medium	55.6%
Total:	100.0%



High	Grants unauthorized administrative access leading to further exploitation
Medium	Provides access to sensitive data
Low	May be used for information gathering, or preventive security measures which could lead to higher risk levels
Warning	Recommended good security practices

1 Machines Scanned

CASE STUDY: Effectiveness of Using Security Checklists

27

Vulnerability Assessment of RedHat 7.1 (Post CIS)

Harris STAT Scanner 5.11

- High: 4 (all false positive) 73%
- Medium: 5 (all false positive) 89%
- Low: 0 100%
- Warning: 0 100%
- Total: 9 (effectively zero) 88%
- Resulting in a 88% reduction in vulnerabilities for this device (100%)

CASE STUDY: Effectiveness of Using Security Checklists

28

Vulnerability Assessment of RedHat 7.1 (Default)

Session name: Redhat 7.1 CIS

Total records generated: 27
 high severity: 6
 low severity: 13
 informational: 8

Vulnerability Assessment of RedHat 7.1 (Default)

Nessus

- High: 6
- Low: 13
- Informational: 8
- Total: 27

Vulnerability Assessment of RedHat 7.1 (Post CIS)

Session name: Redhat 7.1 CIS

Total records generated: 10
high severity: 0
low severity: 6
informational: 4

CASE STUDY: Effectiveness of Using Security Checklists

31

Vulnerability Assessment of RedHat 7.1 (Post CIS)

Nessus

- High: 0 100%
- Low: 6 (2 false +) 54%
- Informational: 4 50%
- Total: 10 63%
- 63% reduction in vulnerabilities for this device (70% or 100%)

CASE STUDY: Effectiveness of Using Security Checklists

32

Conclusions

- Use of the consensus security benchmarks results in a very substantial reduction in the risk of unauthorized intrusion.
- Gold Standard and similar security checklists reduce 80-90% of a devices vulnerabilities and exposure on the network.
- Security staffs are thereby able to focus their time on the more manageable number of remaining threats to the information residing on their systems.
- Consensus projects and collaboration are the keys to success.

Contact the Author

Kerry Steele

- Security Consultant
- Secure Pointe
- <http://www.securepointe.com>
- ksteele@securitypenetration.com

Appendix:

What's going on at CIS in the
Windows world?

CIS Benchmark and Scoring Tool
Development

Windows Benchmarks – Currently Available to the Public

- Windows 2000 Professional Level II
(Gold Standard)
- Windows 2000 Server Level II
(Gold Standard)
- Windows 2000 Level I
(Both Server & Workstation)
- Windows NT Level I
(Both Server & Workstation)

The Gold Standard Benchmarks

- Jointly Developed by:
 - Center for Internet Security
 - National Security Agency
 - SANS Institute
 - NIST
 - DISA
- Minimum accepted standard for DoD
- Organizations ARE implementing the configuration enterprise-wide

CASE STUDY: Effectiveness of Using Security Checklists

37

Windows Benchmarks in Development

- Windows NT Workstation Level II (Gold Standard)
- Windows NT Server Level II (Gold Standard)
- Windows XP (Gold Standard)
- IIS Level II (Gold Standard)
- SQL Server 2000 (Gold Standard)
- Drafts are Available to CIS Members (prior to public release)

CASE STUDY: Effectiveness of Using Security Checklists

38

Windows Benchmarks on the Horizon

- Windows Server 2003
- Exchange Server 2000
- You tell us – this is driven by the CIS Membership

Windows Benchmarks on the Horizon – A New Model

- Role-based security benchmarks
 - Domain member workstation
 - Domain member server
 - Domain Controller
 - Standalone workstation
 - Standalone server
 - Laptop
 - Bastion Server

Windows Benchmarks on the Horizon – A New Model

- Levels of Security
 - Legacy – Level I
 - Enterprise – Level II
 - High – Level III (Gold Standard)

CASE STUDY: Effectiveness of Using Security Checklists

41

CIS Security Scoring Tool


- 0 to 10 score
- Measures “risk” as compared to a custom configuration defined in a security template
- The score can determine the relative “risk” as compared to the benchmark
- Default score of Windows 2000 Professional or Server = 1.5

CASE STUDY: Effectiveness of Using Security Checklists

42

Score Categories and Weights

Benchmark Score Distribution



- Service Packs and Hotfixes: Current Service Pack Installed
- Service Packs and Hotfixes: Other Hotfixes
- Account and Audit Policies: No Passwords > 90 days
- Account and Audit Policies: Policies Meet Standards
- Account and Audit Policies: Event Log Settings
- Security Options: Anonymous Account Restrictions
- Security Options: Security Options Meet Standards
- Security Options: Additional Security Settings
- Available Services
- User Rights
- Other System Requirements
- File and Registry Permissions

CASE STUDY: Effectiveness of Using Security Checklists

43

CIS Security Scoring Tool

- Non-invasive, Host-based security scanning tool gives a SCORE
- Internally uses SeCEdit and HFNetChk
- Score / Compliance
- Audit local configuration using ANY security template
- 10 may not be usable
- There is NO silver bullet



CASE STUDY: Effectiveness of Using Security Checklists

44

How is scoring done?

- Host-based – local scan only
- Use SeCEdit to compare configuration against custom security templates distributed with the tool
- Run Microsoft/Shavlik's HFNetChk Network Security Hotfix Checker
- Windows API calls

CASE STUDY: Effectiveness of Using Security Checklists

45

Tool Enhancements: Coming soon

- Advanced Security Hotfix Checking Technology
- CIS Command-line Scoring Tool
- Advanced Detailed Reporting in XML
- Enterprise Report collection
- Score History (track scores over time)
- Customization: (report destination including network location, exclude specified accounts, category weights)

CASE STUDY: Effectiveness of Using Security Checklists

46

Tool Enhancements: On the Horizon

- What else...?
- See the readme.txt distributed with the CIS Security Scoring Tool for the long list

CASE STUDY: Effectiveness of Using Security Checklists

47

THE CENTER FOR
INTERNET SECURITY

CIS Security Scoring Tool Preview:

3.0 GUI and Command-line
Versions

CASE STUDY: Effectiveness of Using Security Checklists

48


```
C:\WINDOWS\System32\cmd.exe - ciscconsole -s -t Win2kProGold_r1.2.3.inf -h
THE CENTER FOR INTERNET SECURITY
Windows NT/2000 Security Console Scoring Tool
Version: 2.1.151

Lead Developer:      Kerry Steele
Senior Developer:    Rudi Peck
Email:               win2k-feedback@cisecurity.org
Website:             http://www.cisecurity.org

Shavlik Technologies Network Security Hotfix Checker 4.0
Copyright (C) 2001-2003 Shavlik Technologies, LLC
Shavlik Technologies, LLC
info@shavlik.com (www.shavlik.com), 651-426-6624
All Rights Reserved

Using log file hf.log. It will be in either the current working
directory or the shavlik logs directory.

Attempting to get XML from http://xml.shavlik.com/mssecure.cab

XML successfully loaded.

Using XML data version = 1.1.1.847 Last modified on 9/10/2003.

Scanning MORPHEUS
.....
Done scanning MORPHEUS
Completed 85 percent (505/592) Process Registry Keys area
```

CASE STUDY: Effectiveness of Using Security Checklists 49

```
C:\WINDOWS\System32\cmd.exe
Scan Time: 9/11/2003 4:16:41 PM

SUMMARY REPORT OVERALL SCORE: 3.125

** Service Packs and Hotfixes **
ServicePack: 1 Score: 1.25
Hotfixes missing: 9 Score: 0

** Account and Audit Policies **
Passwords over 90 days: 9 Score: 0
Policy mismatches: 6 Score: 0
Event Log mismatches: 6 Score: 0

** Security Settings **
Restrict Anonymous: 2 Score: 1.25
Security Options mismatches: 18 Score: 0

** Additional Security Protection **
Available Services mismatches: 12 Score: 0
User Rights mismatches: 18 Score: 0
Other System Requirements: 0 Score: 0.625
NoLMHash: True
NTFS: 0
Registry and File mismatches: 6811 Score: 0

** SECEDIT DETAILS **
User Rights: 18 Total: 38
```

CASE STUDY: Effectiveness of Using Security Checklists 50

Windows NT/2000/XP Security Scoring Tool v3.0

File Utilities Benchmarks About

the CENTER for INTERNET SECURITY

Computer Name: Client01

Select Security Template:

Conb01

Run Scoring Tool

HIPNetChk Options

☐ Use Local HIPNetChk Database

insecure.ini

☐ Download Database from Microsoft

☐ Do not evaluate file checksums

☐ Do not perform registry checks

View Reports: Report History

Summary
Hofle Checker
User
Service
Scan Log
Summary

Clear History

Designed by Kerry Steele and Rud Peck
Please direct all feedback to:
Win2k-Feedback@cisecurity.org

Service Packs & Hotfixes

Service Pack Level:	9368	Score:	9368
Missing Hotfixes:	9368	Score:	9368

Account & Audit Policies

Passwords Over 90 Days:	9368	Score:	9368
Policy Mismatches:	9368	Score:	9368
Event Log Mismatches:	9368	Score:	9368

Security Settings

Restricted Anonymous:	9368	Score:	9368
Security Option Mismatches:	9368	Score:	9368

Additional Security Protection

Available Services Mismatches:	9368	Score:	9368
User Rights Mismatches:	9368	Score:	9368
Other System Requirements:	9368	Score:	9368
No UNHed:	9368		
Non NTFS:	9368		
Registry and File Permissions:	9368	Score:	9368

OVERALL SCORE: 9562

CASE STUDY: Effectiveness of Using Security Checklists 51

THE CENTER FOR
INTERNET SECURITY

Contact List – Windows NT/2000/XP/2003

- Jeff Shawgo – Benchmark Editor
Win2k-Bench@cisecurity.org
- Kerry Steele – Scoring Tool Developer
Win2k-Scan@cisecurity.org
- General Feedback –
Win2K-Feedback@cisecurity.org

CASE STUDY: Effectiveness of Using Security Checklists 52